

Portable USB 3.1 Gen1 (USB 3.0) M.2 SSD Enclosure

Aluminium enclosure for a M.2 SSD



EW7023

EAN: 8056045878663

Packaging contents: M.2 SSD enclosure, Quick Install Guide, Screwdriver, 2x screws, 2x Mounting screw-nut, USB 3.1 cable

OVERVIEW

- Solid aluminium enclosure for a M.2 SSD (Solid State Drive) up to 80mm
- UASP support for a higher data transfer
- SuperSpeed USB 3.1 gen 1
- Including USB 3.1 cable, screwdriver and screws
- Lightweight and pocket-sized: easy to take along
- LED status indicator
- USB powered
- Backwards compatible with USB 3.0 and USB 2.0

SPECIFICATIONS

- M.2 supported SSD types: B key, B & M key
- M.2 SSD type M key is NOT supported
- M.2 SSD size: 2230, 2242, 2260, 2280
- Full aluminum case with heat dissipation
- Blue LED light indicate power and data transmission
- Supports USB 3.1 GEN1, speeds up to 5Gbps
- Supports UASP protocol for higher read and write speed.
- USB2.0 and USB1.1 backwards compatible
- Power: DC 5V 0.5A via USB 3.1 cable
- Dimensions in mm. (WxHxD) 40.6x9.6x109
- Weight 46gr

SYSTEM REQUIREMENTS

- B key, B & M key SSD (sizes: 2230, 2242, 2260, 2280)
- One available USB port (USB 3.1 is recommended for optimal performance)

COMPATIBLE OPERATING SYSTEM

- Windows XP 32/64bit, Vista 32/64bit, 7 32/64bit, 8 32/64bit, 8.1 32/64bit, 10, MAC OS X 10.6.x - 10.10.x

Portable USB 3.1 Gen1 (USB 3.0) M.2 SSD Enclosure

Aluminium enclosure for a M.2 SSD

DESCRIPTION

Protect your M.2 SSD with the solid aluminium EW7023 Portable USB 3.1 Gen1 (USB 3.0) M.2 SSD Enclosure. The EW7023 is light-weighted and pocket-sized so easy to take along. The enclosure supports M.2 SSDs with B and BM connectors. SuperSpeed USB 3.1 and UASP both ensure a quick file transfer.

Compact and solid enclosure

Your M.2 SSD is kept safe within the EW7023 solid aluminium housing. The enclosure is light-weighted and pocket-sized so you can take it easy along with you.

Suitable for B and BM connectors

Does your M.2 SSD have a B or BM connector? Place the M.2 SSD easily into the enclosure. Use a M.2 SSD up to 80mm.

Super Speed USB 3.1

The EW7023 is USB powered with SuperSpeed USB 3.1 Gen1 (USB 3.0) and has UASP (USB Attached SCSI-Protocol) support. These features both ensure high speed data transfer. The enclosure is backwards compatible with USB 2.0.

Ready for use in only 5 minutes

Besides the aluminium SSD Enclosure we also provide a USB 3.1 Gen1 (USB 3.0) cable, screws and even a screwdriver. Your M.2 SSD is ready to use within a few minutes.

Portable USB 3.1 Gen1 (USB 3.0) M.2 SSD Enclosure

Aluminium enclosure for a M.2 SSD

IMAGES

